



EDIFLOOR
GROUP

PRODUCT CATALOGUE

Resin flooring & surface systems.

Epoxy. Polyurethane. Decorative resins.
Stone carpet. Road paint.

EDIFLOOR GROUP

Prishtina / www.edifloorgroup.com

THE COLLECTION

Materials for every layer.

Explore the full product range by application and chemistry.

01	Company & approach	03
02	Epoxy systems	04-06
03	Finishes & TOPCOAT 300	07-08
04	Polyurethane range	09-10
05	Epoxy hardeners	11
06	Repos & decorative hardeners	12-13
07	Stone carpet & aggregates	14-15
08	EFG ROAD PAINT 2K	16
09	Projects, sports & our presence	17-26
10	Product index & contact	27-28

Explore our products, surface systems and project portfolio.

EDIFLOOR GROUP

Office, showroom & team.

Product samples, project experience and technical assistance in Prishtina.



OFFICE & SHOWROOM / PRISHTINA



THE EDIFLOOR TEAM

Edifloor Group brings together epoxy, polyurethane, decorative resin, stone carpet and road paint materials for a broad range of surface applications.

Visit our office and showroom to explore surface samples and discuss product selection for your project.

PREPARE

Primers and sealing products for the substrate.

BUILD

Self-leveling, filling and decorative resin materials.

FINISH

Topcoats and selected surface finishes.

DUKAGJINI CENTER - PRISHTINA

Product-specific testing, certification and application documentation are available through our technical support team.

EPOXY / 100

Epoxy Sealer 100

Sealing and priming / Indoor & outdoor



PRODUCT PROFILE

Epoxy primer for wetting and consolidating mineral substrates before a compatible resin flooring system.

STATED CONSUMPTION

300 g/m²

APPLICATIONS

- Priming concrete and cement-based substrates.
- Preparation before epoxy or polyurethane coatings.
- Binder applications in repair and leveling mortars, as specified.

SYSTEM GUIDANCE

Mixing, application and curing requirements must follow the current product technical data sheet.

TECHNICAL PROPERTY	PRODUCT DATA
Mixing ratio A:B	100:40
Density	1.1-1.2 kg/L
Dry residue	99%
Viscosity	650-850 mPa·s
Pot life	25-40 minutes
Shore D	60-70 (24 hours at 23°C)

EPOXY / 150

Epoxy FillSeal 150

Filling and sealing / Epoxy system preparation



PRODUCT PROFILE

Epoxy filling and sealing material for preparation within compatible flooring systems.

STATED CONSUMPTION

800 g/m²

APPLICATIONS

- Filling and sealing within the selected epoxy system.
- Surface preparation before compatible subsequent layers.
- Specification support for the substrate and intended finish.

SYSTEM GUIDANCE


Mixing, application and curing requirements must follow the current product technical data sheet.

TECHNICAL PROPERTY	PRODUCT DATA
Mixing ratio A:B	100:20
Density	1.4 kg/L
Dry residue	99%
Viscosity	2,000-3,000 mPa·s
Pot life	15-25 minutes
Shore D	60-70 (24 hours at 23°C)

EPOXY / 500

Epoxy Selfleveling 500

Self-leveling epoxy / Industrial floor systems


PRODUCT PROFILE

Two-component, solvent-free epoxy coating for self-leveling floor systems on concrete, cement or epoxy mortar substrates.

STATED CONSUMPTION

1.5 kg/m²

APPLICATIONS

- Medium- and heavy-duty industrial floors.
- Smooth, continuous colored floor surfaces.
- Multilayer systems designed to meet project requirements.

SYSTEM GUIDANCE

Mixing, application and curing requirements must follow the current product technical data sheet.

TECHNICAL PROPERTY	PRODUCT DATA
Mixing ratio A:B	100:25
Density	1.1-1.2 kg/L
Dry residue	99%
Viscosity at 23°C	400-700 mPa·s
Pot life	30-40 minutes
Shore D	75-85 (7 days at 20°C)

SURFACE APPEARANCE

Choose the finish.

Three finish options for the final surface appearance.

Matt

A low-sheen finish for a restrained appearance.

100 g/m²

stated consumption

Semi-matt

A balanced finish with a subtle sheen.

100 g/m²

stated consumption

Gloss

A reflective finish with a glossy appearance.

100 g/m²

stated consumption

TECHNICAL PROPERTY	PRODUCT INFORMATION
Finish options	Matt / Semi-matt / Gloss
Stated consumption	100 g/m ² for each option

POLYURETHANE / 300

TOPCOAT 300

Polyurethane topcoat / Priority product

300

TOPCOAT

A finishing product in the Edifloor polyurethane range, selected to complete the specified surface system.

STATED CONSUMPTION

300 g/m²**PRODUCT ROLE**

Final coating within the selected flooring specification. Technical assistance is available to confirm substrate preparation, system compatibility and application requirements.

TECHNICAL PROPERTY	PRODUCT INFORMATION
Product name	TOPCOAT 300
Product family	Polyurethane topcoat
Stated consumption	300 g/m ²

OUTDOOR APPLICATIONS

Polyurethane range.

Two distinct products for outdoor surface specifications.

Polyurethane Outdoor

Polyurethane coating for outdoor applications.

250 g/m²

stated consumption

Polyurethane UV Resistant

UV-resistant polyurethane for outdoor applications.

250 g/m²

stated consumption



OUTDOOR PROJECT

PROPERTY	OUTDOOR	UV RESISTANT
Application	Outdoor	Outdoor
Stated consumption	250 g/m ²	250 g/m ²

ADDITIONAL POLYURETHANE PRODUCTS

PU 100 BASIS PU 600 FINAL

Polyurethane products for surface systems.



OUTDOOR SURFACE APPLICATION



INDOOR SURFACE APPLICATION

Explore the Edifloor polyurethane range with product selection and application support from our technical team.

PROPERTY	PU 100 BASIS	PU 600 FINAL
Product family	Polyurethane	Polyurethane

HARDENER COMPONENTS

Recure 351 / Recure 507

Hardeners for the specified epoxy resin formulation.

RECURE 351

Modified polyamine hardener for industrial coatings, primers, epoxy mortars and highly filled systems.

RECURE 507

Modified cycloaliphatic polyamine hardener for coatings, mortars and decorative resin applications.

TECHNICAL PROPERTY	RECURE 351	RECURE 507
Appearance	Transparent	Light yellow
Color / Gardner	Max. 1	Max. 2
AHEW	100 g/eq	115 g/eq
Dosage with KER 828	53 phr	61 phr
Dosage with RC 815	50 phr	58 phr
Gel time with KER 828	25 min (100 g / 25°C)	45 min (100 g / 25°C)
Gel time with RC 815	29 min (100 g / 25°C)	55 min (100 g / 25°C)

FORMULATION-SPECIFIC DATA

Dosage values refer to the named reference resins. They are not mixing instructions for every Edifloor system. Use the approved formulation and current safety data sheet.


REPOX

Decorative possibilities.

Resins for 3D floors, decorative tables and other decorative applications.



DECORATIVE RESIN TABLE



DECORATIVE FLOOR FINISH

Repox 8132

Filling range: 0-3 cm.

For 3D floors, decorative tables and resin decor.

Repox

Filling range: 2-6 cm.

For decorative tables and resin casting applications.

TECHNICAL PROPERTY	REPOX 8132	REPOX / 2-6 cm
Filling range	0-3 cm	2-6 cm
Applications	3D floors, tables, decor	3D floors, tables, decor

REPOX HARDENERS

Hardener 500

Hardener 503

Modified polyamine hardeners for decorative resin systems.



DECORATIVE SYSTEMS


Hardener components for decorative resin systems.
Follow the product technical data sheet for component pairing and mixing instructions.

TECHNICAL PROPERTY	PRODUCT DATA
Type	Modified polyamine hardener

STONE

Texture with structure.

Natural and quartz aggregate finishes for specified floor and wall systems.



Stone carpet combines selected aggregates with a compatible resin binder. Aggregate color, grain size, substrate and system build-up are specified to suit the application.

SYSTEM SELECTION

- Choose quartz or natural aggregate.
- Select the color and texture using physical samples.
- Confirm binder, preparation and build-up with technical support.

SPECIFICATION	PRODUCT INFORMATION
Aggregate families	Quartz aggregate / Natural aggregate
Binder, grain size & thickness	Project-specific; confirm the current system specification
Colors	See aggregate selection on the following page

STONE / COLOR LIBRARY


Quartz & natural aggregate.

Aggregate colors from the Edifloor collection.

QUARTZ AGGREGATE




Light yellow



Basalt



White



Light green



Sand beige



Pink



Variegated grey



Maroon



Tile red



Dark green



Cream

NATURAL AGGREGATE



Natural creek



Maroon



Tile pink



Black



Yellow



Grey



Sand beige



White

Printed and screen colors are indicative. Confirm the final color and texture using a physical sample. Current availability and aggregate grading should be checked before ordering.

ROAD MARKING

EFG ROAD PAINT 2K

Two-component road marking paint



EFG ROAD PAINT 2K is a two-component road marking paint in the Edifloor range.

Contact our team for the approved component pairing and application guidance.


TECHNICAL PROPERTY	CURRENT PRODUCT INFORMATION
System type	Two-component (2K)
Commercial product name	EFG ROAD PAINT 2K

Project photograph illustrates floor markings. Product selection and application must follow the approved technical and safety data sheets.

EDIFLOOR PROJECTS

Surfaces in practice.

A selection of Edifloor Group projects.




Decorative interiors

Blue decorative floor finish.




Outdoor surfaces

Coated stadium terraces.



Floor markings

Contrasting color and defined edges.



Circulation routes

Continuous markings through the space.

Project images show surface applications; the specific product system is confirmed for each project.

PRODUCT ASSURANCE

Testing. Certification. Technical assistance.

Documentation and support for the selected product and application.

TESTED & CERTIFIED PRODUCTS

All offered products are tested and certified. Product-specific certificates and test documentation can be provided for review through Edifloor Group.

TECHNICAL SUPPORT

- Product selection and compatibility guidance.
- Application guidance based on the current technical data sheet.
- Technical and safety documentation for the specified material.

BEFORE APPLICATION

Check the approved product name, component pairing, mixing ratio, substrate requirements and application conditions. Follow the current TDS and SDS for handling, storage and use.

CONTACT TECHNICAL SUPPORT

zyra.edifloor@gmail.com

SPORTS APPLICATIONS

Indoor & outdoor sports surfaces.

Polyurethane surface systems for sports facilities.



INDOOR SPORTS FACILITIES

Surface solutions for indoor sports halls and court areas, with the finish and system build-up selected for the intended activity.



OUTDOOR SPORTS COURTS

Surface solutions for outdoor sports courts, with exposure to sunlight and weather considered in the product specification.

POLYURETHANE PRODUCT RANGE

Our technical team assists with product selection and system specification for indoor and outdoor sports surfaces.

SPECIFICATION AREA	PROJECT REQUIREMENTS
Indoor / outdoor application	Confirm the sport, substrate, traffic and exposure conditions.
System build-up	Confirm preparation, layers, thickness and compatible products.
Finish & court markings	Specify colors, surface texture and the required court layout.
Sports performance	Confirm required slip, wear and impact performance against the approved system documentation.

EDIFLOOR / PROJECT REFERENCES

Experience at scale.

Selected project areas from the Edifloor Group portfolio.

ALBA GROUP

Underground car parks

110,000 m²

DUKAGJINI CENTER

Project reference

32,000 m²

LINDA PREMIUM RESIDENCE

Project reference

28,000 m²

LAJTHIZA

Project reference

50,000+ m²

WORLD LINK TOWERS

IN PROGRESS


30,000+ m²

World Link Towers is currently in progress.

PARKING PROJECTS

Space. Color. Direction.

Underground parking surfaces and circulation areas.



CONTINUOUS FLOOR FINISH / PARKING INTERIOR




Color brings structure to parking environments, from broad floor areas to clearly defined circulation routes.

Edifloor project photography.

INDUSTRIAL & COMMERCIAL

Built around the space.

Project photographs from production halls and commercial interiors.

**PRODUCTION HALL****LARGE INTERIOR FLOOR AREA**


CONNECTED SURFACES

Continuous floor finishes across open halls, circulation areas and shared interiors. The photographs capture Edifloor works at different stages of project delivery.

INTERIOR DESIGN

Color without boundaries.

Floor surfaces that follow the visual identity of the interior.



COLORFUL INTERIOR SURFACES

Flowing color compositions and coordinated solid finishes across interior spaces.



Project photographs include installation and finishing stages.


DECORATIVE PROJECTS

Depth. Reflection. Detail.


Decorative floor compositions and reflective interior finishes.



REFLECTIVE DARK FINISH



MARBLE-EFFECT COMPOSITION



INDIVIDUAL EXPRESSION

From deep black surfaces to flowing blue and pale mineral effects, decorative floors become part of the character of the room.

RETAIL & RESIDENTIAL

A lighter atmosphere.


Pale finishes across retail spaces and residential interiors.



Retail interior



Retail interior / alternate view



Residential circulation



Residential room

EDIFLOOR GROUP

Local contact. A wider presence.

Showroom, product supply and project assistance.



PRISHTINA

Office & showroom
Dukagjini Center - Prishtina

SWITZERLAND

Warehouse & sales point
Contact Edifloor Group for location details and
product enquiries.

PRODUCT SUPPLY & SUPPORT

Speak with our team about product selection, technical documentation and your next flooring project.

zyra.edifloor@gmail.com

+383 49 941 040 / +383 49 182 643

QUICK REFERENCE

Find your product.

Full product range included in this catalogue.

PRODUCT	FAMILY	PAGE
Epoxy Sealer 100	Epoxy	04
Epoxy FillSeal 150	Epoxy	05
Epoxy Selfleveling 500	Epoxy	06
Matt / Semi-matt / Gloss	Finishes	07
TOPCOAT 300	Polyurethane	08
Polyurethane Outdoor	Polyurethane	09
Polyurethane UV Resistant	Polyurethane	09
PU 100 BASIS	Polyurethane	10
PU 600 FINAL	Polyurethane	10
Recure 351 / Recure 507	Hardeners	11
Repos 8132 / 0-3 cm	Decorative resins	12
Repos / 2-6 cm	Decorative resins	12
Hardener 500 / Hardener 503	Hardeners	13
Stone carpet	Stone	14
Quartz & natural aggregates	Stone	15
EFG ROAD PAINT 2K	Road marking	16
Indoor & outdoor sports surfaces	Sports applications	19

For a product-specific recommendation, contact Edifloor Group with the substrate, intended use and required surface appearance.



EDIFLOOR

GROUP

Let's specify your next surface.

EDIFLOOR GROUP

Dukagjini Center - Prishtina

+383 49 941 040

+383 49 182 643

zyra.edifloor@gmail.com

www.edifloorgroup.com

SWITZERLAND / WAREHOUSE & SALES POINT

RESIN FLOORING & SURFACE SYSTEMS